

COMPONENT PARTS FOR VENDING, WATER, SOFT DRINKS AND COFFEE INDUSTRIES.



INTRODUCTION

WATER TREATMENT & SPARES FOR DRINKS DISPENSERS

As well as being the UK's leading independent manufacturer and supplier of water filters, softeners and RO systems, our growing spares division provides everything to install, service and maintain your drinks equipment.

Established in 1995, European WaterCare is a British manufacturing success story. As well as our head office, located within 30 miles of Central London, we now operate successful affiliate businesses in Ireland, Denmark and South Africa.

Optimistic about the future, our determination as a team to always provide the best customer service is matched only by our strength of brand, quality of products and our goal of providing eco-friendly, value for money solutions.

WaterCare are members of:

The Speciality Coffee Association, The Beverage Service Association, The Foodservice Equipment Association, The Catering Equipment Distributors Association, The Water Dispenser & Hydration Association, as well as ENSE.





















CONTENTS


PUMPS	04-06
VALVES NON-RETURN VALVES, WASHING MACHINE VALVES, PRV, SOLENOID VALVES, WATER BLOCK, INSTALLATION RAILS	07-11
FITTINGSPLASTIC, BRASS, STAINLESS STEEL, METAL	12-18
TUBING / HOSES	19-21
O RINGS / WASHERS. WASHERS, O'RINGS	22-23
SOFT DRINKS / BARGUN SPARES	24-30
ELECTRICAL	31-32
HYGIENE TABLETS, POWDER, LIQUID, CLEANING MISC	33-37
WATER FILTERS WATERCARE, BRITA, BWT, 3M, EVERPURE	38-51
COFFEE MACHINE PARTS AND ACCESSORIES	52-55
MISCCABLE TIE, STAINLESS STEEL CLAMPS, OETIKER, MISC	56-59



PUMPS

FLUID TRANSFER PUMPS FOR WATER, DRINKS DISPENSERS AND COFFEE MACHINES.

PUMPS / JERRY CANS / FITTINGS



PUMPS





20 Ltr Jerry can, ideal to be used with Flojet Bottled water pump



Description	Part No
flojet bottled water pump with universal plug	flojetbottledwaterpump-uni
FLOJET DUAL WAND FOR USE WITH FLOJET BOTTLE WATER PUMP RANGE	flojetdualwand

Universal compact bottled water pump, Float switch for auto shut off, Built in non-return valve to prevent back flow, Positive displacement pump, Universal plug UK/European



Description	Part No
FLOJET SYRUP PUMP-PRODUCT OUT 3/8 BARB, GAS IN 1/4 BARB	FLOJETSYRUPPUMP
FLOJET SYRUP PUMP-PRODUCT OUT 3/8 STRAIGHT STEM, GAS IN 1/4 BARB	FLOJETSYRUPPUMP-3/8STEM

Flojet CO2 Syrup pump



Description	Part No
SHURFLO SYRUP PUMP, GAS OPERATED 3/8" BARB PLASTIC ELBOW, 1/4" BARB S/STEEL ELBOW	PUMP-SHURFLO 166-296-28

CO2 powered syrup pump of superior performance and reliability, Designed for dispensing BIB syrups



Description	Part No
200L/H BRASS ROTARY VANE PUMP, BALANCED BYPASS + FILTER	PUMP-200L/HBRASSRVP
300L/H BRASS ROTARY VANE PUMP, BALANCED BYPASS + FILTER	PUMP-300L/HBRASSRVP
300L/H STAINLESS STEEL ROTARY VANE PUMP	PUMP-300L/HSSTEELRVP

A full range of rotary vane pumps, suitable for carbonation, recirculation, water filtration and espresso coffee machines, Available in brass and stainless steel



Description	Part No
BOXED BOOSTER PUMP SHURFLO	PUMP-BOXEDBOOSTER

A boxed diaphragm pump fitted with pressure switch, Complete with 3/8" push fit connectors and 13A lead

PUMPS





Description Part No

SHURFLO FITTING GAS PUMP LIQUID 3/8(10MM) JG STEM

PUMP-FITTING84-038-03

3/8" stem shurflo pump fitting



 Description
 Part No

 GP20/12 PUMP 230V 1PH 50HZ
 PUMP-GP20/12

GP series electric pump, Port details: 15mm, 3/8" NPT, 3/8" BSPM



Description	Part No
GPR 10/15 PUMP, 230V 1 HP 50/60HZ 1/2" STEM	PUMP-GPR 10/15



Description	Part No
G601202I G60 3/8" WATER BOOST PUMP (SMALL)	PUMP-G60



 Description
 Part No

 HPR6/11 PUMP 230-1-50 3/8 CARTRIDGE
 PUMP-HPR6/11

 1.OM CABLE IEC PLUG
 PUMP-HPR6/11

Magnetically coupled regenerative pump, Designed for continuous recirculation of carbonated water, aggressive chemicals and chilled water in high pressure systems. Operating at an optimum flow rate of 3 Ltrs/min.



Description	Part No
HBM6/8 230-1-50 CARB PUMP 3/8" PUSH FIT	PUMP-083933



Description	Part No
VIBRATION PUMP PHOENIX 50N 230V, 53W, 50HZ	pump-vibration 230v-53W-50HZ
ULKA PUMP EP8GW FLAME PROOF COIL 230/240V 50HZ 26W FITTINGS 1/8 - 6MM, MAX PRESSURE 15BAR	pump-vibration Ep8GW230v26W
ULKA PUMP EX4 230/240V 50HZ 48W	pump-vibration ex4230v48w
VIBRATORY PUMP EX5, 15 BAR FITTINGS 1/8-6MM MAX TEMP 20° CONNECTOR TERMINAL 6.3 X 0.8MM NSF APPROVED	Pump-vibration ex548W230v

Compact ULKA pumps capable of high pressures up to 16 Bar, Compact body and quiet operation makes it suitable for various applications, including syrup pump for vending and post mix and espresso coffee machines.

FLUID TRANSFER VALVES AND SOLENOIDS FOR DRINKS DISPENSERS AND COFFEE MACHINES

NON-RETURN VALVES / WASHING MACHINE VALVES / PRV SOLENOID VALVES / WATER BLOCK / INSTALLATION RAILS



NON-RETURN VALVES



Description Part No

15MM COMPRESSION ISOLATOR VALVE (BLACK HANDLE) WITH DOUBLE CHECK VALVE

DCVSHUTOFF 15MM

Comprehensive range of WRAS approved non-return valves available from stock, Single and double available.



Description Part No

15MM DOUBLE CHECK VALVE-WRAS APPROVED

VEMCV155-WRAS

Comprehensive range of WRAS approved non-return valves available from stock, Single and double available.

WASHING MACHINE VALVES



Description Part No

WASHING MACHINE STRAIGHT VALVE, WRAS APPROVED 15MM COMP X 3 /4" CHROME PLATED BRASS

WMC-STRAIGHT



Description Part No

Washing machine angle valve, wras approved 15mm comp x $\%^{\prime\prime}$ chrome plated brass

WMC-ANGLE



Description Part No

WASHING MACHINE TEE VALVE, WRAS APPROVED 15MM COMP X 15MM COMP X 34" CHROME PLATED BRASS

WMC-TEE

PRV



Description	Part No
PLASTIC PRV ADJUSTABLE SUPPLIED SET AT 3 BAR, 1/4" PUSHFIT WITH BRACKET	PRV-ADJUSTABLE-1/4PF



Description	Part No
Inline water pressure regulator 50psi	PR01754300C
Inline water pressure regulator 80psi	PR01754330C
SINGLE IN-LINE WATER PRESSURE REGULATOR 50PSI (3.4 BAR)MAX. 10-13MM(3/8"-1/2")BARB STRAIGHT IN&OUTLET	PRV01754302C
1/2" JG FITTING FOR FLOJET PRESSURE REGULATOR	Prfitting-21000230b
3/8" JG FITTING FOR G56,K56,G81,G60 SERIES PUMPS AND PR 01752 & 01754 PRESSURE REGS	PRFITTING-21000229B

Inline fixed water pressure regulator Available in 15, 30, 50, 65 and 80 PSI, Please contact sales for details.



Description	Part No
BRASS 1/2" FEMALE X 3/4" MALE PRV SET AT 2.8BAR-KIWA	PRV-1/2FX3/4M-2.8BAR
MINI BRASS 1/2" FEMALE X 3/4" MALE PRV SET AT 2.8 BAR WRAS APPROVED	PRV-1/2FX3/4M-WRAS
Range of Pressure Reducing Valves in brass + plated brass.	



Description	Part No
HONEYWELL BRASS PRV 1/2" BSPF C/W GAUGE PORT (SUPPLIED SET AT 3BAR)	PRV-D04-12A
Honeywell pressure reducing valve designed to protect appliances against excessive supply pressure. Must be installed in horizontal pipework. WRAS approved product.	

Description	Part No
SLIMLINE 15MM COMPRESSION ADJUSTABLE PRV	PRV-ADJ-15MM-SIJM
FACTORY SET TO 3 BAR	FRV-ADJ- ISIVIIVI-SLIIVI

SOLENOID VALVES - We offer a full range of mains water solenoid valves, if what you need is not listed please contact sales



DescriptionPart NoS18, 230V 3/8JG SOLENOID VALVESOLENOID-MWS90826

Mains water solenoid valve



 Description
 Part No

 EKI VALVE 180° 24V 3/8" JG X 3/8" JG
 VALVE-90828EV

 Mains water solenoid valve
 VALVE-90828EV



DescriptionPart NoEKI VALVE, S18, 12VOLT, 10B, SILVALVE-EVS18-12V-10B-SIL

Mains water solenoid valve



Description	Part No
MULLER 110V DISPENSE VALVE 40.008.	VALVE-M55019
MULLER 24VDC DISPENSE VALVE 40.008.101	VALVE-M55027

Boiler solenoid valves



 Description
 Part No

 MEMBRANE FOR MULLER VALVES SERIES 40.008 & 46.008
 VALVEMEMBRANE-M07699

 Replacement membrane for MULLER solenoid valves



 Description
 Part No

 DISPENSE/BOILER VALVE REPAIR KIT MULLER
 VALVEREPAIR-D48504

Repair kit for MULLER solenoid valves

WATER BLOCK



Description	Part No
WATER BLOCK SAFETY DEVICE	WB001

Leak prevention device

Water Block overflow safety device with 34" BSP threads, which is designed to prevent the flow of water greater than set by the adjustment pointer; preventing flooding and leak damage.



Description	Part No
WATERBLOCK EXTERNAL RESET DEVICE 3/4" BSPF X 3/4" BSPM	WB-RESETDEVICE

Water Block external reset device, This enables an easy reset without dismantling an installation For use with Water Block overflow safety device


INSTALLATION RAILS - Bespoke installation rails, if you do not see the version you require contact sales.



Description	Part No
WATER PRESSURE KIT(PRV,DCV) 2.8 BAR, 15MM PF INLET X 1/2"PF OUTLET	PRVDCV15-2.8BAR
PRV, DCV KIT WITH BLACK HANDLE 15MM COPPER INLET X 1/2" PUSHFIT OUTLET	PRVDCVBH12X15MM
PRV, DCV WITH BLACK HANDLE SHUTOFF, WATERBLOCK KIT 1/4" PUSHFIT OUTLET X 15MM COMPRESSION INLET	PRVWBKIT14X15MM
WATER PRESSURE REGULATOR/WATERBLOCK 2.8BAR INSTALL KIT	PRVWBRESET 15 MMX 12
PRV, DCV WITH BLACK HANDLE SHUTOFF, WATERBLOCK RESET, 15MM COPPER INLET	PRVWBRESETKIT15MM
PRV, DCV WITH BLACK HANDLE, WATERBLOCK KIT, 12MM PUSH FIT OUTLET	PRVDCVWBKIT12MMPF
DCV WITH BLACK HANDLE, PRV – WRAS APPROVED, WATERBLOCK, EXTERNAL RESET DEVICE, 3/8" PF OUTLET.	PRVWBRESET15MMX3/8PF

EXTENSIVE RANGE OF PLASTIC, BRASS AND STAINLESS STEEL FITTINGS AVAILABLE FROM STOCK. WATERCARE ARE PROUD TO BE A MASTER DMFIT DISTRIBUTER

PLASTIC / BRASS / STAINLESS STEEL / METAL



DM FITTINGS



WATERCARE IS A MASTER SUPPLIER OF DM FITTINGS FOR USE WITH SOFT DRINKS SYSTEMS, COFFEE AND VENDING MACHINES.



Our speedfit plumbing fittings and soft drink beverage connections make installation and maintenance so easy.

Ideal for coffee and vending machine installations and well as soft drink dispense systems.

They are a great value alternative to the John Guest Speedfit range.

THE RANGE INCLUDES:

- DM Fittings
- DM Water Fittings
- Male Connectors
- Female Connectors
- Speedfit Plumbing Fittings
- Polypropylene Fittings
- Soft Drink Beverage Connectors

- Beverage Installation Fittings
- Fluid Push Fit Connectors
- Check Valves
- Water Installation Fittings
- Vending Installation Fittings
- Coffee Installation Fittings
- Push Fit Connectors

- Pressure Reducing Valves
- Stainless Steel Fittings
- Oetiker Clamps and Clips
- JG LLDPE Tubing
- Flojet Bottles Water Pump
- Installation Fittings
- Push to Connect Fittings

DMfit produce a large range of quick-connect push fit fittings & tubing, which are great value alternatives to the John Guest Speedfit range.

A huge variety of fittings are available and they are designed for quick and convenient assembly and easy separation and re-use.

DM Fittings are suitable for hot water (up to 65C) and cold water applications only.

Sizings are available in Imperial (inches) and metric (millimetres)

DMfit fittings and valves feature an oval collet design for quick connections in plumbing, food service, soft drink dispensers and pneumatic systems.

To learn more visit: www.watercare.co.uk/dm-fittings-fluid-push-fit-connectors











VIEW CATALOGUE





PLASTIC



Description	Part No
3/4 BSPF NYLON NUT (19MM BACK HOLE)	PLASTIC-3/4BSPNUT



Description	Part No
STRAIGHT 3/4" RETAINED 10.8 NYL WITH WASHER	PLASTIC-HOSESTRAIGHT3/4



Description	Part No
ELBOW 3/4" RETAINED 10.8 NYL WITH WASHER	PLASTIC-HOSEELBOW3/4



Description	Part No
3/4 BSPM X 3/8 BSPF WHITE ACETAL FITTING	EWC00022



Description	Part No
DELRIN 3/4" BSP FEMALE X 3/8" BSP MALE FITTING	PLASTIC-34BSPFX38BSPM



Description	Part No
PLASTIC 1/4 X 1/4 BARB STRAIGHT	PLASTIC-BARBS 1414
PLASTIC 3/8 X 3/8 BARB STRAIGHT	PLASTIC-BARBS3838
PLASTIC 3/8 X 1/4 BARB STRAIGHT	PLASTIC-BARBS3814
PLASTIC 1/4 X 1/4 X 1/4 BARB TEE	PLASTIC-BARBT 141414
PLASTIC 3/8 X 3/8 X 3/8 BARB TEE	PLASTIC-BARBT383838
PLASTIC 3/8 X 1/4 X 3/8 BARB TEE	PLASTIC-BARBT381438
PLASTIC 1/4 X 1/4 BARB ELBOW	PLASTIC-BARBE 1414
PLASTIC 3/8 X 3/8 BARB ELBOW	PLASTIC-BARBE3838

PLASTIC



Description	Part No	
3/4" BSPM X 3/4" BSPM ABS NIPP	EW1401	



Description	Part No
3/4" BSPM X 3/8" BSPM ABS NIPPLE	EW 1402



Description	Part No
3/4" BSPM X 3/8" STEM ABS NIPPLE	EW 1403



Description	Part No
3/8BSPM X 3/8BSPM ABS NIPPLE	EW 1410

BRASS



DescriptionPart No15MM BRASS STEM WITH SILICONE WASHER
AND 3/4 FEMALE NUTBRASS 15MMSTEM34NUT



 Description
 Part No

 BRASS 15MM STEM X 1/2" BSPM (SHORT) ADAPTOR
 BRASS 15MMSTEMX12 BSPMSHORT



 Description
 Part No

 3/4" BSPM X 15MM STEM DZR BRASS
 BRASS 15MMSTEMX34BSPM



 Description
 Part No

 15MM BRASS COMPRESSION ELBOW
 VEMCE 15



 Description
 Part No

 15MM BRASS COMPRESSION TEE EQUAL
 VEMCT 15



 Description
 Part No

 15MM BRASS COMPRESSION X 3/4" BSPF
 BRASS 15MMCX34BSPF



 Description
 Part No

 15MM BRASS END STOP
 BRASS 15MMSTOPEND

STAINLESS STEEL



Description	Part No
S/STEEL BARB ELBOW 1/4 EQUAL	SSBARBE 1414
S/STEEL BARB ELBOW 3/8 EQUAL	SSBARBE3838



Description	Part No
S/STEEL BARB STRAIGHT 1/4 EQUAL	SSBARBS 1414
S/STEEL BARB STRAIGHT 3/8 X 1/4	SSBARBS3814
S/STEEL BARB STRAIGHT 3/8 EQUAL	SSBARBS3838
S/STEEL STRAIGHT 3/8" BARB, 140MM OVERALL LENGTH	SSBARBS3838-140MM



Description	Part No
S/STEEL BARB TEE 1/4 EQUAL	SSBARBT 141414
STAINLESS STEEL BARB TEE 3/8 X 1/4 X 3/8	SSBARBT381438
S/STEEL BARB TEE 3/8 EQUAL	SSBARBT383838



Description	Part No
S/STEEL BARB U BEND 1/4 X 1/4	SSBARBU 1414
S/STEEL BARB U 3/8 X 3/8	SSBARB3838(SSU0606)



Description	Part No
S/STEEL BARB Y PIECE 1/4 X 1/4 X 1/4	SSBARBY 141414
S/STEEL BARB Y PIECE 3/8 X 3/8 X 1/4	SSBARBY381438
S/STEEL BARB Y PIECE 3/8 X 3/8 X 3/8	SSBARBY383838

METAL



De	escription	Part No
3/	8 X 1/8 M/F REDUCER TAPER	MW2104002



Description	Part No
F-E 6MM X 1/8" MALE TAPER METAL ELBOW	MW2F39C08




Description	Part No
6MM PUSHFIT X M5 PARALLEL MALE THREAD ELBOW	MW2L31007



FLUID TRANSFER TUBING FOR LIQUID/DRINKS DISPENSE.

HOSES/SILICONE/PVC/HYDRAVEND/MDPE BRAIDED PVC/INSULTUBE



TUBING / HOSES

HOSES - Hydrovend hoses available in 6mm ID and 10mm ID, various lengths and any fitting required



Description	Part No
HV10 1500MM 3/4" PLASTIC ELBOW RETAINED X 3/4" PLASTIC STRAIGHT RETAINED	HOSE-SPECIAL-001
HV 10 2000MM 3/4" PLASTIC STRAIGHT RETAINED X 3/4" PLASTIC ELBOW RETAINED HOSE	HOSE-SPECIAL-002
HV10 450MM 3/4 PLASTIC ELBOW RETAINED X 3/4 PLASTIC STRAIGHT RETAINED	HOSE-SPECIAL-003
HV10 550M 3/4 PLASTIC ELBOW X 3/4 PLASTIC STRAIGHT	HOSE-SPECIAL-004



Description	Part No
HV10 1500MM 3/4 PLASTIC ELBOW & PLASTIC NUT	HOSE-SPECIAL-005
15MM BRASS STANDPIPE	11002 01200 12 000



Description	Part No
HV6 600MM 3/4 BRASS ELBOW X 1/4" BRASS STRAIGHT BRASS NUTS	HOSE-SPECIAL-006



Description	Part No
HV6 2000MM STRAIGHT 1/4" FEMALE WITH EPDM WASHER TO 15MM SP	HOSE-SPECIAL-007

SILICONE - Various colours and sizes available, please contact sales



Description	Part No
BRAIDED SILICONE TRANSLUCENT 4MMID X 9MMOD	SILBRAIDTRANS 4MMIDX9MMOD
TRANSLUCENT PLATINUM SILICONE 100MM WIDE X 2.6MM THICK 60SHORE	SILTRANS2.6MM 100MM
TRANSLUCENT PLATINUM 60 SHORE SILICONE TUBING 6MMID X 9MMOD	SILTRANS6MMIDX9MMOD
TRANSLUCENT PLATINUM 60SHORE SILICONE TUBE 8MMID X 12MMOD	SILTRANS8MMIDX12MMOD
TRANSLUCENT PLATINUM 60SHORE SILICONE 9MMID X 15MMOD	SILTRANS9MMIDX15MMOD
TRANSLUCENT PLATINUM 60 SHORE SILICONE TUBING 10MMID X 14MMOD	SILTRANS 10MMIDX 14MMOD
TRANSLUCENT PLATINUM 60 SHORE SILICONE TUBING 12MMID X 16MMOD	SILTRANS 12MMIDX 16MMOD
WHITE PLATINUM 70SHORE SILICONE TUBE 4MMID X 8MMOD	SILWHITE4MMIDX8MMOD
GREY PLATINUM CURED SILICONE 60SH FDA 8MMID X 13MMOD (50M COILS)	SILGREY8MMIDX13MMOD

TUBING / HOSES

TUBING





Description	Part No
hydravend 10 (50metre coils)	TUBING-HV10
12.5/18.5 VEND HOSE	Tubing-12.5/18.5vendhose
BLACK PVC WOUND DUCTING/TUBING 16MMID X 20.7MMOD	TUBING 16MMIDPVCSPIRAL
PE ULTRA NATURAL TUBING 6.7MM X 9.5MM (3/8" OD, 100M COILS)	TUBING400019.100BVX
1/20D X 3/8ID BLACK MDPE TUBING (30M COIL)	Tubing401024fbvx
Grey CO2 pe ultra tubing 3/8" Od (100metre Coils)	TUBING405019BVX
5/16" NATURAL BEERLINE TUBING 100M COILS	TUBING410002.100BVX
PE ULTRA NATURAL 0.117" X 3/16 100M COIL	TUBING410005.100BVX
MDP BLUE 9.5MM X 6.7MM (3/8" OD)	TUBING413019BVX
3/8 CLEAR FOOD GRADE PVC TUBING (10MM X 16MM) 30 METRE COILS	TUBING440026G
PVC BRAIDED HOSE, CLEAR FOOD GRADE 10MMID X 16MMOD (30M COIL)	TUBINGPVCBRAIDED 10MMIDX 16MMOD
PVC BRAIDED HOSE, CLEAR FOOD GRADE 12.5MMID X 18MMOD (30M COIL)	TUBINGPVCBRAIDED 12.5MMIDX 18MMOD
GIYCOL TUBE BLACK 10MMID X 15MMOD (HEAT DUMP TUBING)	TUBING85TD621045.30BV



Description	Part No
BLACK INSULATION TUBE 10MM ID X 6MM WALL 46 METRE COIL	INSULTUBE 101DX6MMWALL
BLACK INSULATION TUBE 10MM ID X 9MM WALL 34 METER COIL	INSULTUBE 10MMIDX9MMWALL
BLACK INSULATION TUBE 12MM ID X 9MM WALL (1/2") 31 METRE COIL	insultube 121d X9mmwall



Description	Part No
K-FLEX ADHESIVE INSULATION TAPE 50MM WIDE X 3MM THICK X 15 METRE LONG	TAPE-ADHESIVE50MMX3MMX15M


O'RINGS / WASHERS

FULL RANGE OF O-RINGS AND WASHERS AVAILABLE FROM STOCK.

IF YOU DO NOT SEE WHAT YOU REQUIRE PLEASE CONTACT

SALES AS ALL SIZES AND MATERIALS AVAILABLE.

WASHERS / O'RINGS



ORINGS / WASHERS

WASHERS



Description	Part No
3 / A" BLACK WASHER NITRILE NIBRZO	3 /ABLACK-WASHER



Description	Part No
400-867-4490-41E 12MM	WASHER-CO2BOTTLE
GERMAN SELF CENTRE BONDED WASHER	VVASHER*COZBOTTLE



Description	Part No
3/4" RUBBER WASHER	VAVACLIED FILTED 2 /4
WITH S /S GALIZE FILTER MESH NIBRZO	Washer-filter-3/4



Description	Part No
3 /4" VA/HITE SILICONIE VA/ASHER 3 /4 X 148484 X 2 258484	VV/V SHEB-3 /V/V/HITESIII CONIE

O'RINGS




Description	Part No
12MM X 2MM NITRILE 70 O RING	ORING-12X2
BS 1806-010 6.7 MMID X 1.78 MM SECTION VITON O RING	ORING-6.7X1.78
EM072X05N70	Oring-72x5
82.14MM X 3.53MM O RING NBR70 (IX V1 HOUSING)	ORING-82.14X3.53

If you do not see the size you require please contact Parts Division Sales Team for a quotation.

WE STOCK ALL WUNDERBAR ORIGINAL SPARE PARTS.
CONTACT SALES DEPARTMENT FOR ANYTHING NOT LISTED.

424 PARTS / SPRINGS / BUTTONS / MISC / PLASTIC / O'RINGS, CONNECTORS / TOOLS / BUTTON CAPS / VALVES



424 VALVE PARTS



Description	Part No
DIFFUSER INSERT SET 424 SERIES SODA	424VALVE-DIFFUSERINSERT



Description	Part No
CLEAR NOZZLE FOR 424 SERIES SODA	424VALVE-NOZZLE



Description	Part No
SYRUP SEPARATOR S-TUBE (424 VALVE)	SYRUPSEP-424VALVE

SPRINGS/BUTTONS/MISC



Description	Part No
H RETAINER PLATE	BARGUN-PH10-109



Description	Part No
PLUG LOCKING ACCESS WITH FLANGE	BARGUN-PH10-136



Description	Part No
TUBE FERRULE POLYPROP	BARGUN-PH10-17
TUBE FERRULE CAP POLYPROPYLENE	BARGUN-PH 10- 18

SPRINGS/BUTTONS/MISC



Description	Part No
STEM SPRING	BARGUN-PH 10-21



Description	Part No
BUTTON PLATE SCREW. STAINLESS STEEL, 6-32-1/2"	BARGUN-SCREW-PH 10-3



Description	Part No
BUTTON STEM SNAP-ON	BARGUN-PH10-73



Description	Part No
PREMIX SNAP ON BUTTON LONG	BARGUN-PH10-75



Description	Part No
snap on oval button	BARGUN-PH10-76



Description	Part No
SANTOPRENE VALVE STEM	BARGUN-PH10-89

PLASTIC PARTS





Description	Part No
BLACK SPLIT HANDLE HEEL MK2 & 2.5	BARGUN-PH 10-137
BLACK SPLIT HANDLE HEEL MK 4	BARGUN-PH 10-138



Description	Part No
BLACK 10B BUTTON PLATE	BARGUN-PH10-2
BLACK 8B BUTTON PLATE	BARGUN-PH 10-2-8



Description	Part No
BLACK BOTTOM PLATE	BARGUN-PH10-27



Description	Part No
BLACK BUTTON PLUG	BARGUN-PH 10-37



Description	Part No
BLACK EXTENDED NOZZLE MK2	BARGUN-PH10-93



Description	Part No
BLACK EXTENDED TWIST LOCK NOZZLE MK2.5 & 3	BARGUN-PH10-94



Description	Part No
universal syrup separator	SYRUPSEP-PH10-83

O'RINGS



Description	Part No
STEM O RING RED SILICONE (1.5 X 1.5)	BARGUN-PH 10-20-E
hat o ring	BARGUN-PH10-26
DIFFUSER O RING MK2 (26.57 X 3.53MM)	BARGUN-PH10-30
DIFFUSER O RING MK2.5 & 3 (28.5 X 2.62MM)	BARGUN-PH14-30-E
TUBE SEAL O RING	BARGUN-PH 10-19
O RING INLET FITTING (BLACK)-MANIFOLD	BARGUN-PM 10-14
BRIX SCREW O RING	BARGUN-PM 10-6

CONNECTORS / TOOLS



Description	Part No
TOOL FOR O RING INSERT	BARGUN-PH10-36



Description	Part No
BAG IN BOX CONNECTOR GREEN ENCORE 3/8" BARB	bib-greenencore



Description	Part No
BRIX CUP, MULTIPLEX RATIO 5:1	BRIXCUP-99-5509



Description	Part No
BRIX CUP 5:1 AND 5.5:1	BRIXCUP-99-9012



Description	Part No
TAPRITE CARBONATION TESTER PC SUGARED PEPSI PRODUCTS	CARBTESTER

CONNECTORS / TOOLS



Description	Part No
python cutters	CUTTERS-PYTHON



Description	Part No
PREMIX DISCONNECT LIQUID 1/4 FLARE BLACK	DISCONNECT27-1100-99
PREMIX DISCONNECT GAS 1/4" BARB GREY	DISCONNECT27-1102-77
PREMIX DISCONNECT LIQUID 3/8 BARB BLACK	DISCONNECT27-1103-99



Description	Part No
BIB CONNECTOR (33020)	QCDII



Description	Part No
CO2 SPANNER	SPANNERCO2
COMBINATION SPANNER	COMBINATIONSPANNER



Description	Part No
STRAP FOR CO2 BOTTLE	STRAP-CO2BOTTLE



Description	Part No
1" BLACK TAPE 20M ROLL	TAPEO01
2" BLACK TAPE 33M ROLL	TAPEOO2



Description	Part No
3 WAY CORDIAL VALVE SWAN NECK BARB INLET	VALVE-CORDIAL003
3 WAY CORDIAL VALVE SHORT SPOUT, BARB INLET	VALVE-CORDIAL003SHORTSPOUT

BUTTON CAPS



Description	Part No
round snap on button cap green/white a	BARGUN-PH 10-74-001 -A
round snap on button cap white/black c	BARGUN-PH10-74-004-C
ROUND SNAP ON BUTTON CAP WHITE/BLACK L	BARGUN-PH10-74-016-L
ROUND SNAP ON BUTTON CAP ORANGE/BLACK O	BARGUN-PH 10-74-019-ORANGE-O
round snap on button cap white/black t	BARGUN-PH10-74-035-T
round snapon button cap red/white cran	Bargun-ph 10-74-068-cran
round snapon button cap white/black diet	BARGUN-PH 10-74-073-DIETW/BLK
round snap on button cap orange	BARGUN-PH10-74-116-ORANGE
round snapon button cap white/black enrgy	BARGUN-PH 10-74- 170-ENRGY
round snap on button cap green	BARGUN-PH 10-74- 186-GREEN
round snap on button cap purple	BARGUN-PH 10-74-188-PURPLE
round snap on button cap black/white max	BARGUN-PH 10-74-282-MAX
round snap on button cap blue/white pepsi	BARGUN-PH10-74-123-PEPSI
OVAL SNAP ON BUTTON CAP SODA	BARGUN-PH10-77-500-SODA
OVAL SNAP ON BUTTON CAP WATER	BARGUN-PH 10-77-501 -WATER



Description	Part No
•	


FLOJET CHANGE OVER VALVE

CHANGEOVER01603230A

ELECTRICAL

ELECTRICAL PARTS FOR DRINKS DISPENSERS AND COFFEE MACHINES.

CORD SETS / PLUGS



ELECTRICAL



Description	Part No
BLACK 2METRE LEAD UK 13A MOULDED 1.5MM SQ.	LEAD-2MUK13A1.5MMSQ
BLACK 2M 5AMP MOULDED PLUG 3 CORE X 0.755MMSQ	LEAD-2MUK5A0.75MMSQ

Power cords available in all types and lengths. Contact sales if you do not see what you need.

COMPLETE RANGE OF CLEANING AND DISINFECTING PRODUCTS FOR COFFEE, VENDING AND WATER APPLICATIONS, PROVIDING SAFE CLEANING SOLUTIONS. MSDS AND COSHH SHEETS AVAILABLE UPON REQUEST.

TABLETS / POWDER / LIQUID / CLEANING MISC



TABLETS



Description	Part No
CHLORINE TABLETS 1.7G 200 TO A TUB, 6 TUBS TO A CASE	CHLORINETABLETS



Description Part No

100 X 2.4GRAM ESPRESSO CLEANING TABLETS 18MM DIA X 6MM DEPTH (BOX QTY 6 TUBS)

TABLETS-ESPRESSOCLEANING 18MMX6MM

Dissolving times for Java Tablets

 $90^{\circ}C = 00.25 / 80^{\circ}C = 00.38 / 70^{\circ}C = 01.50 / 60^{\circ}C = 02.35$

IMAGE COMING SOON

Description	Part No
ESPRESSO COFFEE MACHINE SMALL CLEANING TABLETS,	TABLETS-ESPRESSO
13MM, 1.1G WEIGHT	Cleaninsmall



Description	Part No
CAFIZA E31 ESPRESSO MACHINE CLEANING TABLETS - 2G (100) 12 IN A BOX	URNEX-E31 BREWERTABLETS



Description Part No URNEX M61 MILK CLEANING TABLETS 120 TABLETS IN A

TUB 4G TABLETS 12 IN A BOX

URNEX-M61 TABLETS

LIQUID



Description	Part No
PHOSPHORIC ACID LIQUID DESCALER 1 LITRE BOTTLE	DESCALER-LIQUID1L



Description	Part No

PHOSPHORIC ACID ALL PURPOSE RAPID DESCALER 5 LITRE

DESCALER-PHOSACID5L

LIQUID



Description	Part No
STAINLESS STEEL CLEANER 750ML SPRAY BOTTLE	CLEANER-SSTEEL



Description	Part No
BLUE MILKLINE CLEANER WATERCARE BRANDED (BOX QTY 12 X 1 L)	MILKLINE-001 BLUE



Description	Part No
GENERAL SURFACE CLEANER 750ML	sanitizer-spray



Description	Part No
vending and brewer cleaner 1 litre	Brewercleaner 1



Description	Part No
red internal watercooler sanitiser 1 litre	SANITISERHP1
red internal watercooler sanitiser 5 litre	SANITISERHP5



Description	Part No
FOAMING DESCALER 700ML SPRAY	Descaler-foamingspray700ml
FOAMING DESCALER 5 LITRE READY TO USE	DESCALER-FOAMIN5L-RTU

LIQUID



Description	Part No
ANTI-BACTERIAL SANITISER READY TO USE 700ML SPRAY BOTTLE	sanitiser-antibac700ml
ANTI-BACTERIAL SANITISER CONCENTRATE 5 LITRE BOTTLE	Sanitiser-antibac5lconc

POWDER



Description	Part No
BOILER DESCALER SULPHAMIC ACID 1 KG	DESCALER-POWDERBOILER 1 KG




Description	Part No
DETANNIN POWDER 500G TUB WITH SCOOP	DETANNIN500G



Description	Part No
ESPRESSO/BACKFLUSH CLEANING POWDER 500GM TUB	CLEANER-BACKFLUSH

CLEANING MISC



Part No
BRUSH-WHITE318X76X7.9
BRUSH-BLUE305X95X9.5
BRUSH-BLUE356X65X4.8
BRUSH-BLUE500X76X4.8
_



Description	Part No
SET OF FOUR SMALL CLEANING BRUSHES	BRUSH-SET4

Please call for sizes and details

Description	Part No
SET OF 2 SILICONE BRUSHES BLUE,	
OVERALL LENGTH 240MM, BRISTLE LENGTH 95MM,	Brushset-x2silicone
1 X 6MM BRISTLE WIDTH, 1 X 8MM BRISTLE WIDTH.	

HYGIENE

CLEANING MISC



Description	Part No
BLUE ROLL 2 PLY, 10" WIDE, 40M PER ROLL	BLUEROLL-2PLY



Description	Part No
LINT FREE DRY WIPE 16" X 11.5" 1 = BOX OF 350 WIPES	WIPE-DRYLF-BOX



Description	Part No
CLEAR POLY COOLER BAG 22" X 34" X 44", 120 GAUGE (1 = BOX OF 200 BAGS)	BAG-CLEAR22X34X44




Description	Part No
BLUE POWDER FREE VINYL GLOVES SIZE MEDIUM, BOX OF 100 GLOVES	GLOVES-PFBLUE-VINYL-MED
BLUE POWDER FREE VINYL GLOVES SIZE LARGE, BOX OF 100 GLOVES	GLOVES-PFBLUE-VINYL-LARGE



Description	Part No
BLUE POWDER FREE NITRILE GLOVES SIZE MEDIUM, BOX OF 100 GLOVES	GLOVES-PFBLUE-NITRILE-MED
BLUE POWDER FREE NITRILE GLOVES SIZE LARGE, BOX OF 100 GLOVES	GLOVES-PFBLUE-NITRILE-LARGE

WATERCARE / BRITA / BWT / 3M / EVERPURE





WATERCARE IX



Description	Part No
IX MINI INLINE 1 MICRON 3/8" PUSHFIT	IXMINI-1M



Description	Code
IX HEAD WITH 3/8" PUSH FITTINGS INLET AND OUTLET	IXHEAD-3/8DM-V2
IX HEAD WITH 3/8" PUSH FITTINGS INLET AND OUTLET WITH DIGITAL METER	IXHEAD-3/8DM-DIGI-V2
IX HEAD WITH 3/8" BSP FITTINGS INLET AND OUTLET	IXHEAD-3/8BSP-V2
IX HEAD WITH 3/8" BSP FITTINGS INLET AND OUTLET WITH DIGITAL METER	IXHEAD-3/8BSP-DIGI-V2

Please note: All IX Cartridges will need a head on initial install.



Description	Code
ixo1 ion exchange assembled cartridge and resin refill (Without head)	IXO1 CART-V2
IX02 ION EXCHANGE ASSEMBLED CARTRIDGE AND RESIN REFILL (WITHOUT HEAD)	IXO2CART-V2
IXO1 ION REFILL	IXO1 REFILL-V2
IXO2 ION REFILL	IXO2REFILL-V2



Description	Code
IX01 CARBON ASSEMBLED CARTRIDGE AND REFILL (WITHOUT HEAD)	IX01 CARBONCART-V2
IX02 CARBON ASSEMBLED CARTRIDGE AND REFILL (WITHOUT HEAD)	ixo2carboncart-v2
IXO1 CARBON REFILL	IX01 CARBONREFILL-V2
IXO2 CARBON REFILL	ixo2carbonrefill-v2



Description	Code
IX01 VEND ASSEMBLED CARTRIDGE AND REFILL (WITHOUT HEAD)	IX01 VENDCART-V2
IX02 VEND ASSEMBLED CARTRIDGE AND REFILL (WITHOUT HEAD)	IX02VENDCART-V2
IXO1 VEND REFILL	IXO1 VENDREFILL-V2
IXO2 VEND REFILL	IXO2VENDREFILL-V2



WATERCARE IX



Description	Code
IX01 ICE ASSEMBLED CARTRIDGE AND REFILL (WITHOUT HEAD)	IX01 ICECART-V2
IX02 ICE ASSEMBLED CARTRIDGE AND REFILL (WITHOUT HEAD)	IX02ICECART-V2
IXO1 ICE REFILL	IX01 ICEREFILL-V2
IXO2 ICE REFILL	IXO2ICEREFILL-V2



Description	Code
IX01 POSTMIX ASSEMBLED CARTRIDGE AND REFILL (WITHOUT HEAD)	IX01 POSTMIXCART-V2
IXO2 POSTMIX ASSEMBLED CARTRIDGE AND REFILL (WITHOUT HEAD)	IX02POSTMIXCART-V2
IXO1 POSTMIX REFILL	IXO1 POSTMIXREFILL-V2
IXO2 POSTMIX REFILL	IXO2POSTMIXREFILL-V2



Description	Code
SPANNER ADAPTOR	FW 1704



Description	Code
ix spanner	EW 1505

WATERCARE CTUs



Description	Code New	CTU Packs* Code (2Port)
CTU PRIMA FOR COFFEE EQUIPMENT 5 LITRE	PRIMA-5	PRIMA-5-PK
CTU PRIMA FOR COFFEE EQUIPMENT 10 LITRE	PRIMA-10	PRIMA-10-PK
CTU PRIMA FOR COFFEE EQUIPMENT 18 LITRE	PRIMA-18	PRIMA-18-PK

^{*}Packs include meter and hoses.



Description	Code
DN15 COLD WATER MULTILET WATER METER	METER-CW/-001



BRITA Other Brita filters available upon request, please contact sales



Description	Part No
S/C 1002730 - PURITY C50 QUELL	BRITC50



Description	Part No
BRITA AQUAQUELL PURITY C 150 REPLACEMENT CARTRIDGEUP TO 1700 LITRE CAPACITY AT 10 °KH, 4°C - 30°C, 8.6 BAR OPERATING PRESSURE	BRITC 150
BRITA AQUAQUELL PURITY C 300 REPLACEMENT CARTRIDGE UP TO 3400 LITRE CAPACITY AT 10 °KH, 4°C - 30°C, 8.6 BAR OPERATING PRESSURE	BRITC300
BRITA AQUAQUELL PURITY C 500 REPLACEMENT CARTRIDGE UP TO 7000 LITRE CAPACITY AT 10 °KH, 4°C - 30°C, 8.6 BAR OPERATING PRESSURE	BRITC500



Description	Part No	
BRITA C 1100	BRITC 1100	



Description	Part No
BRITA C500 FINEST	BRITC500FINE



Description	Part No
BRITA PURITY C FRESH CARTRIDGE	BRITCFRESH



Description	Part No
S/C 1002952 - FILTER HEAD 30% BLEND FOR PURITY C RANGE	BRITHC30
FILTER HEAD 0-70% BLEND FOR PURITY C. RANGE	BRITHCO-70



Description	Part No
S/C 298900 - BRITA PURITY C FLOW METER	BRITMETER



BWT HEADS



FEATURES

Can be fixed to any BWT water+more filter. A non-return valve on the inlet side prevents any ingress of water into the drinking water system and a similar valve on the outlet side seals the filter off from the end device (e.g. coffee machine). Both non-return valves close if there is a sudden drop in pressure, which prevents leakage and water discharge during replacement of the filter. The dual system is rounded off by the BWT bestflush bleed valve.

Description	CONNECTION	Part No
BWT FILTER HEAD	LOCKABLE BYPASS, AUTO SHUT-OFF WITH NRV'S. 3/8" BSP	BWT-HEAD



FEATURES

With BWT besthead FLEX, the filter head with the world's most flexible connector technology, installing the filter is really easy, even where space is tight. Its innovative FLEX technology with its configured angle adjustment in 30° increments allows for the best possible orientation of the connector hoses, even where space is at a premium.

Description	CONNECTION	Part No
BWT BESTHEAD FLEX	3/8" - OTHER SIZES AVAILABLE	BWT-BESTHEADFLEX

BWT BESTMAX



FEATURES

Raw water needs to be optimised for the specific requirements of the catering industry (HORECA). BWT bestmax provides you with a universal filter system that fulfils this task simply and efficiently. The filter system consists of a filter cartridge with five filter levels and a BWT besthead filter head that is screwed on. The blend partial flow (0–3) is set on the filter head depending on the water hardness and requirement.

APPLICATIONS: For coffee and steam ovens

Description	Dimensions HxWmm	Capacity (ltrs) Vending	Capacity (ltrs) Coffee MC + Steam	Capacity (ltrs) Steam Oven/ICE	Part No
BWT BESTMAX M	500 x 130	3800	2835	2180	BWT-MAX-M
BWT BESTMAX L	530 x 145	5200	3885	2985	BWT-MAX-L
BWT BESTMAX XL	530 x 145	6800	5080	3905	BWT-MAX-XL
BWT BESTMAX 2XL	600 x 185	12000	8965	6895	BWT-MAX-2XL



BWT BESTMAX PREMIUM



FEATURES

BWT Bestmax PREMIUM is a filter system with which you can refine raw water to produce gournet water that is outstandingly suited to making hot beverages such as coffee, espresso and tea. The modular multi-stage filter uses patented BWT Magnesium Technology, which also mineralises the filtrate with magnesium. This flavour carrier guarantees high sensory quality in both the water and the products made from it. The filter system consists of a filter cartridge with a BWT besthead filter head that is screwed on. The blend partial flow (0–3) is set on the filter head depending on the water hardness and requirement.

APPLICATIONS: For coffee and vending machines

Description	Dimensions HxWmm	Capacity (ltrs) Vending	Capacity (ltrs) Coffee MC + Steam	Part No
BWT BESTMAX PREMIUM XL	530 x 145	3900	3250	BWT-MAXPREMIUM-XL
BWT BESTMAX PREMIUM 2XL	600 x 185	6350	5290	BWT-MAXPREMIUM-2XL

BWT BESTMAX SOFT



FEATURES

Perfect coffee water from every water type – that's the BWT water+more promise. Joining our world-beating hot drinks range of filters, BWT bestmax SOFT targets raw water with low carbonate hardness. Providing taste and odour filtration, pH maintenance and pinpoint scale management, BWT bestmax SOFT offers coffee shops in 'soft' water areas good machine protection and great hot drink quality.

APPLICATIONS: For optimising already soft water for drinks equipment

Description	Dimensions HxWmm	Capacity (ltrs) H+C Drink No Steam	Capacity (ltrs) Coffee MC + Steam	Part No
BWT BESTMAX SOFT XL	530 x 145	6800	5080	BWT-MAXSOFT-XL
BWT BESTMAX SOFT 2XL	600 x 185	12000	8965	BWT-MAXSOFT-2XL



BWT BESTPROTECT



FEATURES

With BWT bestprotect, you can optimise raw water for catering applications in a targeted way. This filter system ensures balanced mineralisation and a consistently high pH value in the filtrate – key factors that minimise the risk of corrosion. Hardness-forming calcium ions are practically entirely removed and deposits of limescale and gypsum prevented in the case of raw water containing carbonates or sulphates. Insoluble or difficult-to-remove deposits in machines are now a thing of the past. The filter system consists of a filter cartridge with a BWT besthead filter head.

APPLICATIONS: For protecting catering and vending equipment

	Dimensions		
Description	HxWmm	Capacity (ltrs)	Part No
BWT BESTPROTECT XL	530 x 145	2620	BWT-PROTECT-XL
BWT BESTPROTECT 2XL	600 x 185	5000	BWT-PROTECT-2XL

BWT BESTTASTE



FEATURES

BWT besttaste is a water treatment system for the elimination of particles and chlorine from, and the improvement of the odour and taste of, drinking water. besttaste improves the quality of the water for use in coffee machines as well as in hot and cold drink machines. With BWT besttaste, water from water dispensers is of a consistently high quality. Even coffee and vending machines in areas of low carbonate hardness will benefit from the improved water quality.

APPLICATIONS: For drinking water, coffee and vending

	Dimensions	Dimensions			
Description	HxWmm	Capacity (ltrs)	Part No		
BWT BESTTASTE	300 x 65	10000	BWT-TASTE-X		
BWT BESTTASTE S	385 × 65	40000	BWT-TASTE-S		



BWT BESTMIN PREMIUM



FEATURES

BWT bestmin filter cartridges optimise water with a low mineral content for use in the food service sector. This often applies to water in holiday locations, for example from lakes and reservoirs and the water produced by reverse osmosis in seawater treatment plants. BWT bestmin is the perfect solution for restoring this deficiency. The balanced combination of natural minerals in the BWT bestmin filter adds the correct level of minerals to the water used in the food service sector, achieving an optimum brewing and full-taste experience for hot and cold drinks. BWT bestmin gives stale-tasting water a superb sensory quality that brings out the full flavour of hot drinks.

APPLICATIONS: For perfect mineralisation in coffee and vending equipment

Di-----

	Dimensions			
Description	HxWmm	Capacity (ltrs)	Part No	
BWT BESTMIN PREMIUM M	500 x 130	10000	BWT-MINPREMIUM-M	

BWT BESTCARE



FEATURES

With the increasing popularity of water dispensers BWT Bestcare provides maximum defence against pathogens. The filters contain ultrafiltration membranes that are highly effective at removing pathogens from the water, while the activated carbon fleeces eliminate unwanted tastes and smells. BWT bestcare filters provide guests and diners with a cool refreshment sensation that guarantees the highest standards of hygiene – consistently pure water of exceptional sensory quality and an impressive capacity.

APPLICATIONS: For water dispensers

	Dimensions			
Description	HxWmm	Capacity (ltrs)	Part No	
BWT BESTCARE S	385 x 88	12,000	BWT-CARE-S	



3M SCALEGARD™ BLEND SERIES



FEATURES

3 MTM ScaleGardTM Blend Series reduces chlorine taste and odour, as well as chloramines that can react with metal, plastic and rubber materials which may cause equipment damage. Scale reduction also helps provide equipment protection from hard scale and corrosion. An innovative, powerful system that combines chloramine reduction water filtration systems with the ability to monitor filter capacity and control water quality at your fingertips. Quadruple-action filtration provides protection against: Hard scale, Corrosion, Chlorine taste/odour and Chloramines.

APPLICATIONS: For protecting catering and vending equipment

Description	Part No
BH3 VARIABLE BYPASS HEAD	3M-BH3HEAD
BH3 VARIABLE BYPASS HEAD WITH MONITOR	3M-BH3MHEAD

FOR COFFEE, HOT BEV & POSTMIX WITH VARIABLE BYPASS

Description	Capacity (ltrs)	Part No
3M SCALEGUARD BLEND 145 CLS CARTRIDGE	2006	3M-B145CLS
3M SCALEGUARD BLEND 165 CLS CARTRIDGE	2835	3M-B165CLS
3M SCALEGUARD BLEND 195 CLS CARTRIDGE	4727	3M-B 195CLS

3M AP2 FILTER RANGE



FEATURES

3M's patented filtration technology utilises a powdered, engineered media, combined with a unique binding matrix supporting small particles, to deliver superior efficiency and optimal performance.

The 3M AP2-C401SG is a dedicated water filter for drinking water and water coolers. It removes bad taste and odours including chlorine, benzine, toxaphene, dichlorobenzene, lead, cycts and reduces sediment. Approximate 4000 litre capacity – recommended cartridge change every 6 months.

APPLICATIONS: For steam ovens and combination steamers

	Part No
	3M-AP2HEAD
Capacity (Itrs)	Part No
4000	3M-AP2-C401G
4000	3M-AP2-C401SG
4000	3M-AP2-C405G
4000	3M-AP2-C405 FILTER
_	4000 4000 4000



3M HF-MS FILTER CARTRIDGE RANGE



FEATURES

The 3M HF-MS range provides scale inhibition for coffee machines and small vending machines as well as sediment and chlorine, taste and odour reduction.

The small sizes are ideal for space constraint issues. All products fit the VH3 head which allows interchangeability and no requirement for turning off the water supply when changing a cartridge.

APPLICATIONS: For steam ovens and combination steamers

Description	Part No		
STANDARD VH3 HEAD WITH FEMALE 3/8 BSP	3M-VH3STANDARDHEAD		
VH3 HEAD WITH 3/8" PUSH FIT CONNECTIONS	3M-VH3HEADJ/G3/8FIT		
Description	Capacity (ltrs)	Part No	
3M HF05MS CARTRIDGE	5600	3M-HF05MS	
3M HF10MS CARTRIDGE	13000	3M-HF10MS	

3M HF-S FILTER CARTRIDGE RANGE All sizes available, please contact sales.



FEATURES

The 3M HF-S range reduces sediment, bacteria and chlorine for clearer and great tasting ice. The built-in scale inhibitor reduces lime scale build-up on evaporator plates to help ensure long lasting equipment and reduce service calls. Sanitary Quick Change (SQC) encapsulated cartridge design allows for fast and easy cartridge change.

APPLICATIONS: For ice makers and flakers

Description	Capacity (ltrs)	Part No
3M HF40-S CARTRIDGE	94000	3M-HF40-S
3M HF60-S CARTRIDGE	132489	3M-HF60-S
3M HF90-S CARTRIDGE	200000	3M-HF90-S

3M SCALEGARD™ PRO RANGE



FEATURES

The 3M ScaleGard Pro range has been designed to protect coffee and beverage equipment from the harmful effects of scale build-up in hard water areas. The filter cartridge has been designed to prevent hard scale formation in the heating coils that will result in energy inefficiency, equipment downtime and expensive service call outs.

APPLICATIONS: For hot beverage equipment

Description	Capacity (ltrs)	Part No
3M SCALEGARD PRO 124 CARTRIDGE	1600	3M-SGP124BN
3M SCALEGARD PRO 165 CARTRIDGE	2300	3M-SGP165BN
3M SCALEGARD PRO 195 CARTRIDGE	3900	3M-SGP195BN

EVERPURE

EVERPURE INSURICE FILTER RANGE



FEATURES

The Everpure Insurice filtration system provides premium quality water for ice machines and flakers. It reduces chlorine taste, odours and other contaminants for clearer, brighter great tasting ice.

Proprietary Micro-Pure® II filtration media effectively inhibits the growth of bacteria on the filter. Sanitary cartridge replacement is simple, quick and clean. Internal filter parts are never exposed to handling or contamination.

The filter also reduces water related ice machine service problems caused by scale, dirt and other dissolved minerals.

APPLICATIONS: For ice makers and flakers

Description	Dimensions HxWxDmm	Capacity (ltrs)	Part No
EVERPURE INSURICE SINGLE FILTER	(77, 000, 100	24000	EV020401
FOR ICE MACHINE APPLICATIONS FOR ICE MACHINES USING UP TO 135KG DAILY	677 x 200 x 130	34000	EV932401
	Dimensions		
Description	HxWxDmm	Capacity (ltrs)	Part No
EVERPURE INSURICE TWIN FILTER			
FOR ICE MACHINE APPLICATIONS	640 × 420 × 139	68130	EV932402
FOR ICE MACHINES USING UP TO 280KG DAILY			

EVERPURE MH2 FILTER CARTRIDGE



FEATURES

The Everpure MH2 provides premium quality water for coffee and hot beverage applications. Ensures clear, fresh water that produces great tasting coffee and other hot beverages. Scale inhibitor helps reduce scale build up on heating elements thus protecting the equipment and reducing service costs.

APPLICATIONS: For hot beverage equipment

	Dimensions		
Description	HxDmm	Capacity (ltrs)	Part No
EVERPURE MH2 REPLACEMENT CARTRIDGE FILTER			
FOR HOT BEVERAGE APPLICATIONS	369 x 83	34068	EV961326
utilising ql3b head (not supplied)			
Description		Part	No
EVERPURE QL3B HEAD		EVP43	12-13

EVERPURE

EVERPURE 4C FILTER CARTRIDGE



FEATURES

The Everpure 4C provides a 11,355 litre capacity and is specifically designed for cold cup vending applications and features precoat filtration to provide superior chlorine taste and odour reduction. Submicron filter technology filters dirt and particles as small as 0.5 microns in size as well as reducing contaminants such as Cryptosporidium and Giardia cysts.

APPLICATIONS: For cold cup vending applications

Description	Dimensions HxDmm	Capacity (ltrs)	Part No
EVERPURE 4C REPLACEMENT CARTRIDGE FILTER FOR COLD CUP VENDING APPLICATIONS UTILISING QL3B HEAD (NOT SUPPLIED)	369 x 83	11355	EV96011
Description		Part	No
EVERPURE QL3B HEAD	EVP4312-13		2-13

EVERPURE 4H FILTER CARTRIDGE



FEATURES

The Everpure 4H provides a 11,355 litre capacity and is a scale inhibiting water filter specifically designed for hot cup vending applications and features precoat filtration to provide superior chlorine taste and odour reduction. Submicron filter technology filters dirt and particles as small as 0.5 microns in size as well as reducing contaminants such as Cryptosporidium and Giardia cysts.

APPLICATIONS: For hot beverage equipment

	Dimensions		
Description	HxDmm	Capacity (ltrs)	Part No
EVERPURE 4H REPLACEMENT CARTRIDGE FILTER			
FOR HOT CUP VENDING APPLICATIONS	369 x 83	11355	EV961100
utilising ql3b head (not supplied)			
Description		Part	No
EVERPURE QL3B HEAD	EVP4312-13		

EVERPURE

EVERPURE MC2 FILTER CARTRIDGE



FEATURES

The Everpure MC² Filter Cartridge improves the taste of fountain beverages and helps retain the drinks carbonation. It can be used for both fountain beverage and combination applications. Micro-Pure II media with AgION™ antimicrobial protection inhibits any potential bacterial growth. Exclusive submicron precoat filtration removes particles as small as 1/2 micron in size, eliminating bad tastes and odours.

APPLICATIONS: For drinking water application

Description	Dimensions HxDmm	Capacity (ltrs)	Part No
EVERPURE MC2 REPLACEMENT CARTRIDGE FILTER			
for drinking water applications utilising ql3b head (not supplied)	527 × 83	34068	EV961255
Description		Part	No
EVERPURE QL3B HEAD	EVP4312-13		12-13

EVERPURE CLARIS



FEATURES

Everpure Claris filter systems are designed specifically for tea and beverage equipment. The cartridges reduce scale as well as improving the taste and aroma of the final beverage. The Claris system uses ion exchange (saltless softening) technology to remove hardness and reduce alkalinity. The final water hardness can then be carefully tailored for optimal performance.

In addition the Claris XXL System is suitable for steam applications.

APPLICATIONS: For tea and beverage equipment

Description	Dimensions HxDmm	Capacity (ltrs)	Part No
CLARIS MEDIUM REPLACEMENT CARTRIDGE	426 x 94	3002	EVP4339-11
CLARIS LARGE REPLACEMENT CARTRIDGE	360 x 136	5016	EVP4339-12
CLARIS EXTRA LARGE REPLACEMENT CARTRIDGE	471 x 136	7192	EVP4339-13
CLARIS XXL REPLACEMENT CARTRIDGE	471 x 175	13200	EVP4339-14

EVERPURE

EVERPURE CLARIS ULTRA



FEATURES

The Everpure Claris Ultra range is the world's first filter cartridge which combines mineral reduction and corrosion protection through advanced pH balancing whilst providing the very best filtered water quality for hot drinks and ice machines whilst preventing scale formation. The Everpure Claris Ultra range of cartridges have the distinct advantage of inhibiting corrosion and metal migration within the widest range of water hardness levels.

APPLICATIONS: For use with coffee machines, ice makers and vending machines

Description	Dimensions HxDmm	Capacity (ltrs)	Part No
CLARIS ULTRA 250 REPLACEMENT CARTRIDGE	315 x 94	2250	EVP4339-80
CLARIS ULTRA 500 REPLACEMENT CARTRIDGE	426 x 94	3750	EVP4339-81
CLARIS ULTRA 1000 REPLACEMENT CARTRIDGE	360 x 136	7000	EVP4339-82
CLARIS ULTRA 1500 REPLACEMENT CARTRIDGE	471 x 136	10000	EVP4339-83
CLARIS ULTRA 2000 REPLACEMENT CARTRIDGE	471 x 175	16500	EVP4339-84






Description	Part No
CLARIS HEAD ONLY 3/8" BSP MALE	EVP4339-90
CLARIS WATER METER	EVP4339-30

COFFEE MACHINE PARTS AND ACCESSORIES

FLUID TRANSFER PARTS AND ACCESSORIES FOR MAKING/SERVING COFFEE

VALVES / GRINDER BLADES / PRESSURE SWITCHES / ACCESSORIES



COFFEE MACHINE PARTS & ACCESSORIES



Description Part No

ANTI-VACUUM VALVE STANDARD 1/4"

ANTIVACUUMVALVE1/4

This valve allows air to escape the boiler as the water heats up, hissing and then closing off when the boiler water reaches it's operating pressure, sealed by the steam pressure created.



& GICAR

Description Part No

GICAR FLOW METER LID ONLY WITH LED

FLOWMETER-GICARLIDLED

GICAR flow meter lid only with LED, GICAR, Part number 9.0.16.50G



Description Part No

GICAR PLASTIC PROPELLOR

FLOWMETER-GICARPROPELLOR

GICAR propeller, Part number 6.9.23.05G



Description Part No

GRINDER BLADES SAN MARCO 64MM - 37MM RH

GRINDERBLADES-64MM

Pair of grinder blades / burrs for SAN MARCO grinder, 64mm – 37mm RH, 8.5mm thickness, 3 fixing holes



Description Part No

GRINDER BLADES SAN MARCO 84MM - 45MM RH

GRINDERBLADES-84MM

Pair of grinder blades / burrs for SAN MARCO grinder, 84mm – 45mm RH, 9mm thickness, 3 fixing holes



Description Part No

6.5MM HOLDER GASKET

HOLDERGASKET-6.5MM

Filter holder gasket, $64 \times 52.5 \times 5.5$ mm

COFFEE MACHINE PARTS & ACCESSORIES



Description Part No

MACHINE FOOT 80 X 48MM

MACHINEFOOT80X48MM

Aluminum and rubber machine extension stand, $80 \times 48 \text{mm}$



Description Part No

SIRAI PRESSURE SWITCH 30AMP

PRESSURESWITCH-SIRAI30AMP

Pressure switch P302/6, CE-SEV-ASE-UL Approved, Connection ISO228G $\mbox{\it ¼"M}$ for pipe diameter 4x6mm, Adjustable scale 0.5 – 1.4 Bar, Fixed Differential 0.15 (+/- 0.06) Bar, Fluid Max Temp 140°C, Max load contacts 220V 7Kw (30A), 400V 12Kw (30A)



Description Part No

3/8" BSP MALE CERTIFIED RELIEF VALVE BRAND NOSTRALI

RELIEFVALVE-38BSPM1.8BARNOSTRALI

Boiler valve diameter 3/8M, 1.8 Bar CE-PED, Calibration pressure 1.8 Bar, Steam outlet rate 6.3Kg/H



Description Part No

LUCIFER 3 WAY BODY, RUBY SEAL ORIFICE 1.5MM FLUID TEMPERATURE -30°C + 140°C

SOLENOID-LUCIFER3WAYBODY

E 131 F 430 4 G, Lucifer solenoid body 3 way, Ruby seal orifice 1.5 mm, Fluid temp - 30° C - + 140° C, Outlet diameter $1/8^{\circ}$ Conical, Max 10 Bar



Description

Part No

LUCIFER 3 WAY COMPLETE VALVE 240V 50HZ, COIL 9W

SOLENOID-LUCIFER3WAYCOMPLETE

E131F4304, Ruby seal orifice 1.5mm, Fluid temp -40°C – \pm 140°C, Outlet diameter 1/8" Conical, Max 10 Bar, 240V 50Hz 9W coil



Description

Part No

LUCIFER/PARKER 230V 9W COIL WITH DIN PLUG

SOLENOID-LUCIFERCOIL230V9W

Width 32mm, Height 38mm, Length 43mm, 240V 50Hz 9W coil

COFFEE MACHINE PARTS & ACCESSORIES





Description	Part No
ODE MINI VALVE 2 WAY 1/8" G, 230/240V 18BAR, 5WATT	SOLENOID-ODE21JN1R0V23

2 Way valve, Orifice diameter 2.3mm, Temp - 10'C - +140'C, 240V 5W



Description	Part No
MILK JUG S/STEEL 0.6 LITRE	SSJUG-0.6LITRE
MILK JUG S/STEEL 1 LITRE	SSJUG-1 LITRE
MILK JUG S/STEEL 1.5 LITRE	SSJUG-1.5LITRE
30Z/85ML STAINLESS STEEL MILK JUG	SSJUG-3OZ

Range of Stainless steel milk jugs from stock, other sizes available, contact sales.



Description	Part No
S/STEEL SHAKER WITH MESH TOP-60Z 95MM X 70MM	SSSHAKER-95MMX70MM
Credeline and the colors the little	



Description	Part No
ANAIOGICAL THERMOMETER 25MM	THERMOMETER-

Clip on analogue thermometer, Temp scale 0-100°C $\,$

ANALOGICAL25MM



Description	Part No

EXPANSION VALVE 14BAR 6MM PUSHFIT X 9MM BARB

VALVE-EXPANSION 14BAR

14 Bar Expansion valve, Quick coupling, 6mm push fit x 9mm barb



Description	Part No
Description	Pari No

EXPANSION VALVE 4BAR 6MM STEM X 9MM BARB

VALVE-EXPANSION4BAR

4 Bar Expansion valve, Quick coupling, 6mm stem x 9mm barb

PLEASE CONTACT SALES IF YOU NEED SOMETHING THAT IS NOT LISTED HERE

CABLE TIE / STAINLESS STEEL CLAMPS / OETIKER / MISC



CABLE TIE



Description	Part No
BLACK NYLON CABLE TIE.100MM X 2.5MM	CABLETIE-002
BLACK NYLON CABLE TIE. 250MM X 4.8MM	CABLETIE-003
BLACK CABLE TIES 370MM X 7.6MM	CABLETIE-005
BLACK CABLE TIE 200MM X 4.8MM	CABLETIE-006
BLACK CABLE TIE 203MM LONG X 7.6MM WIDE	CABLETIE-007
BLACK CABLE TIE 300MM LONG X 4.8MM WIDE	CABLETIE-008
BLACK CABLE TIE CRADLE, TAKES UP TO 9MM WIDE TIES	CABLETIEBASE-9MMBLACK

S/STEEL CLAMPS - Alternative brand to OETIKER, made in Brazil. OTHER SIZES AVAILABLE.



Description	Part No
S/STEEL CLAMP 10.5	CLAMP 118-10.5
S/STEEL CLAMP 14.5	CLAMP 118-14.5
S/STEEL CLAMP 17.0	CLAMP 118-17.0
S/STEEL CLAMP 19.8	CLAMP118-19.8

OETIKER OTHER SIZES AVAILABLE.



Description	Part No
OETIKER CLAMPS 8.8MM-10.5MM 1 EAR STEPLESS	OET 10.5-505R
OETIKER CLAMPS 9.6MM-11.3MM 1 EAR STEPLESS	OET11.3-505R
OETIKER CLAMPS 12.00MM - 14.0MM 1 EAR STEPLESS	OET 14.0-706R
OETIKER CLAMPS 12.00MM - 14.5MM 1 EAR STEPLESS	OET 14.5-706R
OETIKER CLAMPS 14.5MM – 17.00MM 1 EAR STEPLESS	OET 17.0-706R



Description	Part No
OET PLIERS SIDE JAW	OET-PLIERS

MISC



Description	Part No
PTFF TAPF 12MM X 12M X 0.075MM	PTFF TAPF



Description	Part No
Wras approved fernox external leak sealer and	IFAKSFAIFR-IS-X
IOINTING COMPOLIND	LEAKSEALEK-LS-X



Description	Part No
FOOD SAFE PURE SILICONE GREASE USED FOR	
protection, sealing and lubrication for all metal,	SILICONEGREASE
PLASTIC AND RUBBER COMPONENTS.	



Description	Part No
ambersil silicone spray 500ml	SILSPRAY-AMBERSIL



Description	Part No
15MM COPPER TUBE CUT TO 5CMS	WOL508200-2INCH
15MM COPPER TUBE 10CM PIECE	WOL508200-4INCH



Description	Part No
DN 15 WRAS APPROVED, COLD WATER, MULTIJET,	MFTFR-CW-001
BRASS BODY WATER METER	METER-CVV-001



Description	Part No
LABEL & ADHESIVE REMOVER, FOOD GRADE 200ML	label remover

Suitable for use in the food and beverage industry the Label & Adhesive Remover from Ambersil is designed for the removal of packaging and transport labels from shipping containers, plastic boxes, and bulk storage (intermediate) drums. Its effective blend of solvent and citrus actively penetrates the paper layer to breakdown the adhesive minimising the requirement for scraping.

Warning: Flammable – contains solvents

MISC



Description Part No

AMBERSIL LABEL AND ADHESIVE REMOVER, NON-FOOD GRADE, 200ML.

LABELREMOVER-NONFOODGRADE



Description Part No

ANTI-STATIC FOAMING CLEANER 400ML

ANTI-STATIC CLEANER

An anti-static cleaner that can be used to remove general grime and soiling on both hard and soft surfaces. Ideal for use as a post-maintenance cleaner its formula removes light oils, finger marks and grime whilst inhibiting dust build up thanks to its anti-static properties.



Description Part No

AMBERSIL WATER BASED LEAK DETECTOR, 400ML

LEAKDETECTORSPRAY

KITTING AND VALUE ADDED SERVICES

AS A WELL-ESTABLISHED UK MANUFACTURER (OVER 35 YEARS)
OF CALCIUM TREATMENT UNITS (CTU'S), WATER SOFTENERS AND WATER
FILTERS, OVER THE LAST 2 YEARS WE HAVE EXPANDED OUR FACILITIES TO
INCLUDE PARTS SALES/DISTRIBUTION AND KITTING/BUILD SERVICES.

UTILISING OUR ENGINEERING EXPERTISE, WE ARE ABLE TO BUILD PRODUCTS TO MEET MOST LIQUID DISPENSE APPLICATIONS.


IF YOU HAVE A REQUIREMENT, PLEASE CONTACT US.

WE OFFER A FULL KITTING SERVICE FROM INDIVIDUALLY BAGGED SERVICE KITS, OR MORE COMPLEX FITTINGS/TUBING/VALVE ASSEMBLIES. NOTHING IS BEYOND OUR CAPABILITIES.

FOR MORE INFORMATION OR TO DISCUSS YOUR REQUIREMENTS
PLEASE CONTACT OUR SALES TEAM ON: 01279 742059









NOTES	

NOTES	

NOTES	



01279 780 250 | info@watercare.co.uk